

Cc: [Nonresponsive based on revised scope]@tetrattech.com]; [Nonresponsive based on revised scope]@erllc.com]; [Nonresponsive based on revised scope]@tetrattech.com];
[Nonresponsive based on revised scope]@tetrattech.com]
To: [Nonresponsive based on revised scope]@tetrattech.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Fri 10/30/2020 6:11:23 PM (UTC)
Subject: Re: Mounds 2 & 3

Correct



On Oct 30, 2020, at 2:07 PM, Taylor, Todd <Todd.Taylor@tetrattech.com> wrote:

Hello all,

Property 2 tree
Equipment Decon
Have been sampled and are in [Nonresponsive based on revised scope] position.
Regards,

[Nonresponsive based on revised scope]
Get [Outlook for iOS](#)

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Friday, October 30, 2020 1:58:44 PM
To: [Nonresponsive based on revised scope]@tetrattech.com]; [Nonresponsive based on revised scope]@tetrattech.com]; [Nonresponsive based on revised scope]@erllc.com>
Cc: [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]@tetrattech.com>
Subject: Mounds 2 & 3

 CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.


[Nonresponsive based on revised scope]

On Monday I would like you to collect surface composite samples for ERRS to send for PCBs & RCRA Pb + Cd

The results we currently have seem to be from a combined area of the mound(s) and 9E

We are now keeping Area 9 separate from the mounds. Therefore we still need disposal/treatment data. This is SEPARATE from the PCB EOC sampling

[Nonresponsive based on revised scope], if you prefer to collect these, that is fine

So on Monday afternoon, the following samples should be sent to ALS

Property 2 tree
Equipment Decon
Mound 2
Mound 3

Please contact me with any questions
Thank you
Chris